

Plenvu

Bowel Preparation

General Instructions

2 Weeks Before the Procedure

Foods	No change
Liquids	Drink plenty of water
Medications	<p>Hold - GLP1 Agonist Medication:</p> <ul style="list-style-type: none">• Dulaglutide (Trulicity)• Exenatide (Byetta)• Exenatide Extended Release (Bydureon BCise)• Liraglutide (Victoza)• Lixisenatide (Adlyxin)• Semaglutide (Ozempic, Wegovy, Rybelsus)• Tirzepatide (Mounjaro)



1 Week Before the Procedure

Foods

No Nuts or Seeds - berries, cashews, corn nuts, peanuts, pecans, popcorn, walnuts

Low Fiber Diet

- Foods - white bread, cheese, eggs, yogurt
- Soups - clear vegetable, chicken or beef broth
- Vegetables - cooked without skin like mashed potato
- Fruits - pureed fruits without skin like applesauce

Liquids

Drink plenty of water

Medications

- Take as usual unless otherwise instructed
- Hold - Anti-Diarrheal Medication - Imodium, Kaopectate, Pepto-Bismol
- Hold - Iron Tablets
- Hold - Multivitamins
- Pharmacy
 - Fill or buy preparation medication
 - Pick up 3 days before your procedure



1 Day Before the Procedure

Foods

- Clear Liquid Diet
- Soups - clear vegetable, chicken or beef broth
- Juices - clear only without pulp

Liquids

- Drink plenty of water
- No alcohol
- No red or purple colored drinks

Medications

- Hold - Oral Diabetes Medication
- Insulin - Take ½ the dose the entire day
- Blood Pressure Medication - The pre-anesthesia team (PAT) will instruct you on how to take your blood pressure medications.
- All other medications - continue as normal

Procedure Day

Foods

No food or liquids the day of the procedure



Medication Instruction

Attention

Expected
Symptoms
Do not stop the
bowel
preparation

- Abdominal Pain
- Bloating
- Cramps
- Diarrhea
- Gas
- Nausea

First Dosage [Mango] → 10pm – 11pm

Step 1
10pm – 10:30pm

- Mix Dose 1 pouch & 16 ounces of water
- Drink the mixture

Step 2
10:30pm – 11pm

Drink 16 ounces of water

Second Dosage [Fruit Punch] → 4am – 5am

Step 1
4am – 4:30am

- Mix Dose 2 Pouch A & Dose 2 Pouch B & 16 ounces of water
- Drink the mixture



GastroDoxs
— defenders of the digestive system —

<p>Step 2 4:30am – 5am</p>	<p>Drink 16 ounces of water</p>
<p>12am</p>	
<p>Foods</p>	<p>No food or liquids after midnight except prep solution</p>

Cypress Office: 27700 Northwest Freeway - Suite 580, Cypress, TX - 77433
Jersey Village Office: 10425 Huffmeister Rd - Suite 280, Houston, TX - 77065
Katy Office: 23920 Katy Freeway - Suite 560, Katy, TX - 77494
Phone: 832-632-4070 | Fax: 832-688-9496
Email: info@gastrodoxs.com | Website: www.gastrodoxs.com